



Roller Blinds System

Control Wand


Ensuring the safety of children
For USA and Canada markets



It used for all style window roller blind shades

Model SC-A1

Cassette Roller Blind Mechanism






Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- White plastic chain ball, or optionally chain ball, and you can choose stainless steel chain ball.
- Curve Cassette design is very popular, this will use for decorate and avoid the light coming in. Easy to install and adjust



SC-A1 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum height	Comments
2. 5m	3. 5m	Maximum manufacturable roller depends on the fabric selected



Model SC-A2

Square Cassette Roller Blind Mechanism






Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- White plastic chain ball, or optionally chain ball, and you can choice stainless steel chain ball.
- Square Cassette design is very popular, this will use for decorate and avoid the light coming in. Easy to install and adjust


SC-A2 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum height	Comments
2. 5m	3. 5m	Maximum manufacturable roller depends on the fabric selected



Model SC-A3

Roller Blind Mechanism





Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- White plastic chain ball, or optionally chain ball, and you can choice stainless steel chain ball.



SC-A3 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum heigh	Comments
2. 5m	4m	Maximum manufacturable roller depends on the fabric selected



Model SC-A4

Double Roller Blind Mechanism




Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- White plastic chain ball, or optionally chain ball, and you can choice stainless steel chain ball.
- Use one bracket for double laerys, onelayer is solarsunscreen one layer is blackout, The another name is day night roller shade


SC-A4 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum heigh	Comments
2. 5m	2. 5m	Maximum manufacturable roller depends on the fabric selected



Model SC-A5

Spring square Cassette Roller Blind Mechanism



EASY TO USE

Just pull gently to get the desired length



Pull down with
your hand

Continue




Stop

Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- Square Cassette design is very popular, this will use for decorate and avoid the light coming in. Easy to install and adjust




SC-A5 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum height	Comments
2.2m	2.4m	Maximum manufacturable roller depends on the fabric selected



Model SC-A6

Motor square Cassette Roller Blind Mechanism



Technical Description

- Aluminium roller tube has 38mm with adhesive tape to secure the fabric.
- The bottom rail, is used as counterweight to keep the fabric stretched. Coating white aluminium tube, with a special groove for insertion of the dowel rod.
- Square Cassette design is very popular, this will use for decorate and avoid the light coming in. Easy to install and adjust
- The choice of lithium battery motor and AC motor is available. 5 year warranty, connected to Google and alexa

SC-A6 System Dimensions

Manufacturable Dimensions		
Maximum width	Maximum height	Comments
2.5m	3.0m	Maximum manufacturable roller depends on the fabric selected

